

Work Order ID 91825

October-19-12 12:25:59 PM

91825

Page 1

Item ID: D3849-043 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: AFT WEARPLATE ASSY, STD GEAR
 Start Date: 10/19/12 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 11/02/12 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: *R* Date: *10-19* Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start ***NR1***
 Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool # , Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr							
D3849	D							

110

0.00

110

Large Fab

Large Fab

Memo

0.00

1- On D3901-1 bar, fill cut outs with hardcoat welding rod as per dwg D3849

2059 B Hardcoat Welding Rod

BATCH#: *M124597*

2- Weld D3901-1 bar to wearplate as per dwg D3849

304 S.S. Welding Rod

BATCH#: *M118161*

3- Transfer drill holes as per dwg

4- Cut excess bar material if necessary

x4 13-04-11 MAL

120

QC9- Inspect visual per QSI004- Fusion Welds

0.00

120

QC

Quality Control

Memo

0.00

13-04-11

*DAS
09
2-83*

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY			
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY				
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Work Order ID 91825

91825

Page 3

October-19-12 12:25:59 PM

Item ID: D3849-043 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: AFT WEARPLATE ASSY, STD GEAR
 Start Date: 10/19/12 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 11/02/12 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
160	Identify as per dwg & Stock Location	0.00							
160									
Packaging	Memo	0.00							
Packaging									
170	QC21- Final Inspection - Work Order Release	0.00							
170									
QC	Memo	0.00							
Quality Control									

Handwritten notes: 13/4/15, 13/4-15, 13/4/15

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data											
Equip/Tooling											
Operator											
Material											
Setup											
Other											
Process											
Supplier											
Training											
Unapproved											

FAULT CATEGORY											
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other

Picklist Print

October-19-12 12:25:58 PM

Page 1

Work Order ID: 91825

Parent Item: D3849-043

Parent Item Name: AFT WEARPLATE ASSY, STD GEAR

Start Date: 10/19/12

Required Date: 11/02/12

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP RevA: New issue DD verified by:EC
DWG REV.D DD VERF:JLM

IPP Rev:B 12.09.11 AS PER

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3849-3 Plate		Manufactured	No			110	Each	11.0000	1	4			

~~B 93050~~ (x1)

Location

Loc Qty

Loc Code

W/A

11

82673

2

90556

9

x4

13-04-11 MAL

D3901-3

Bar

Manufactured

No

110

Each

4.0000

2

8

Location

Loc Qty

Loc Code

WA

4

90397

4

x8

13-04-11 MAL

~~B 93306~~ (x2)

~~B 93406~~ (x2)

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY									
Landing Gear			General						
<input type="checkbox"/> Bending	<input type="checkbox"/> Bend	<input type="checkbox"/> Grain	<input type="checkbox"/> Ovalized	<input type="checkbox"/> Pressure/Forced					
<input type="checkbox"/> Centre Not Concentric to O/S	<input type="checkbox"/> BOM/Route	<input type="checkbox"/> Hardware	<input type="checkbox"/> Over/Under tolerance	<input type="checkbox"/> Temperature/Cure					
<input type="checkbox"/> Cracks	<input type="checkbox"/> Broken/Damaged	<input type="checkbox"/> Inspection Incomplete	<input type="checkbox"/> Part Incorrect	<input type="checkbox"/> Weld					
<input type="checkbox"/> Crushed/Crimped	<input type="checkbox"/> Burrs	<input type="checkbox"/> Instructions Incomplete/Unclear	<input type="checkbox"/> Part Lost/Missing	<input type="checkbox"/> Wrong Stock Pulled					
<input type="checkbox"/> Cuffs	<input type="checkbox"/> Contamination	<input type="checkbox"/> Maintenance	<input type="checkbox"/> Part Moved						
<input type="checkbox"/> Heat Treat	<input type="checkbox"/> Countersink	<input type="checkbox"/> Mislabeled	<input type="checkbox"/> Positioned Wrong						
<input type="checkbox"/> Inspection Strip in Tube	<input type="checkbox"/> Cut Too Short	<input type="checkbox"/> Misread	<input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Other					
<input type="checkbox"/> Ripples in Bend	<input type="checkbox"/> Drill Holes	<input type="checkbox"/> Offset							
<input type="checkbox"/> Torque Waves in Extrusion	<input type="checkbox"/> Drawing	<input type="checkbox"/> Out of Calibration							
<input type="checkbox"/> Turning Sequence	<input type="checkbox"/> Finish	<input type="checkbox"/> Out of Sequence							
<input type="checkbox"/> Wave/Twist in Tube	<input type="checkbox"/> Folio	<input type="checkbox"/> Outside Dimensions							

8

7

6


5

4


3

2


1




D3849-041 FWD WEARPLATE ASSY, STD GEAR



D3849-043 AFT WEARPLATE ASSY, STD GEAR



D3849-045 AFT WEARPLATE ASSY, FLOAT GEAR




D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR

ITEM	QTY -041	QTY -043	QTY -045	QTY -047	P/N	DESCRIPTION
1	X				D3849-041	FWD WEARPLATE ASSY, STD GEAR
2		X			D3849-043	AFT WEARPLATE ASSY, STD GEAR
3			X		D3849-045	AFT WEARPLATE ASSY, FLOAT GEAR
4				X	D3849-047	FWD WEARPLATE ASSY, FLOAT GEAR
11	1				D3849-1	PLATE
12		1			D3849-3	PLATE
13			1		D3849-5	PLATE
14				1	D3849-7	PLATE
15	1			1	D3901-1	BAR
16		2			D3901-3	BAR
17			2		D3901-5	BAR
21	A/R	A/R	A/R	A/R	2059B	HARDCOAT
22	A/R	A/R	A/R	A/R	4714	PLUS ONE ROCKGUARD


91825
PL 12-10-19

RELEASED
2012-09-04
JMS

D	REVISED FLAT PATTERN - CHANGED SLOT LOCATIONS TO MATCH D3901-1/-3/-5 BARS (ZN B6-6, B3-6, B6-7, C2-7, B6-8, B2-8, B7-9, B2-9).	DC	12.08.23
C	REVISED FLAT PATTERN - CHANGE SLOT LOCATIONS. ADDED DOUBLE SLOTS AND D3901-3/-5 BARS ON -043/-045. UPDATED DETAIL VIEWS. CHANGED WELD DETAILS (ZN B2-2). REMOVED D3848-1/-3/-5/-7 GASKETS. ADD ROCKGUARD COATING. REMOVE FINISH.	DC	12.08.21
B	REVISED FLAT PATTERN Ø0.375 WAS SLOT HOLE ON D3849-1F/-3F/-5F (ZN A4-5, B4-7, B4-8, C2-10, B2-10); ADD D3849-047 (ZN D4-1, A4-1 & B4-5) & D3849-7/-7F (ZN C4-9, A4-9); ADD SECTION K-K (ZN C5-10); Ø.88 WAS Ø.875 & 0.44 WAS 0.438 (ZN A3-10); ADD 0.25 & 0.88 (ZN D4-10, D3-10); ADD 0.88 & 0.44 (ZN C3-10 & B3-10); ADD FLAG NOTE (ZN A8-2, C6-2, C3-2, A8-3, C6-3, C3-3, A8-4, C6-4, C2-4); B6.87 WAS B7.36 (ZN B4-7).	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	RF		
DRAWN	PC		
CHECKED	PC		
MFG. APPR.	PC		
APPROVED	PC		
DE APPR.	PC		
DATE	12.08.23		
DART AEROSPACE USA, INC. KENT, WA DRAWING NO. D3849 TITLE WEARPLATE ASSY REV. D SHEET 1 OF 10 SCALE NTS <small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>			




D3849-041 FWD WEARPLATE ASSY, STD/FLOAT GEAR



SECTION A-A

C3-2

91825



DETAIL B


C5-2

RELEASED
2012-09-04
MP


NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-041 = 4.58 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-1 PLATE TO D3901-1 BAR

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	PC	KENT, WA	
CHECKED	PC	DRAWING NO.	REV. D
MFG. APPR.	PC	D3849	SHEET 2 OF 10
APPROVED	PC	TITLE	SCALE
DE APPR.	PC	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	



D3849-043 AFT WEARPLATE ASSY, STD GEAR



SECTION C-C


C3-3


RELEASED
2012-09-04

NOTES:


- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-043 = 7.66 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-3 BARS ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-3 PLATE TO D3901-3 BARS

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. D
MFG. APPR.	DL	D3849	SHEET 3 OF 10
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	





D3849-047 FWD WEARPLATE ASSY, FLOAT GEAR



SECTION E-E
C3-5

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY PER QSI 044 6.1 AS SHOWN
- 7) WEIGHT: D3849-047 = 4.60 lbs
- 8) WELDING: PER QSI 004
- 9) 2059B HARDCOAT WELD, 0.32 THICK x 0.50 WIDE, FLUSH WITH D3901-1 BAR ON LATERAL SURFACES
- 10) COAT ENTIRE TOP (CONCAVE) SURFACE WITH A LAYER OF PLUS ONE ROCKGUARD 4714, 0.020-0.040 THICK
- 11) TRANSFER DRILL $\varnothing 0.188$ HOLES FROM D3849-7 PLATE TO D3901-1 BAR

RELEASED
2012-09-04
ND

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	PC	KENT, WA	
CHECKED	PC	DRAWING NO.	REV. D
MFG. APPR.	PC	D3849	SHEET 5 OF 10
APPROVED	PC	TITLE	SCALE
DE APPR.	PC	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

0.3 REF

R38.5

49.51

D3849-1 PLATE
(MAKE FROM D3849-1F)

A6-10

91825

0.050
REF

7.72

Ø0.188 THRU
2 PL

D2-10

R0.38
TYP

H

B3-10

R0.50
TYP

A4-6

2.433
TYP6.642
4 PLR0.06
2 PL

54.26 REF

49.27

D

43.51

41.50

40.00

34.00

29.00

23.00

18.69

14.38

10.06

7.00

5.75

D3849-1F FLAT PATTERN

R0.06
TYP0.13
REF

0.50

DETAIL 1

C2-6
B2-9

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524
OR ASTM A240 OR ASME SA240
18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 2.30 lbs

RELEASE
2012-09-04


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. D
MFG. APPR.	DL	D3849	SHEET 6 OF 10
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12-08-23	<small>COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

D3849-3 PLATE
(MAKE FROM D3849-3F)

91825




D3849-3F FLAT PATTERN



DETAIL J

C2-7
B2-8



DETAIL K


C5-7
B5-8

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
 - 2) FINISH: NONE
 - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
 - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
 - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
 - 6) IDENTIFICATION: NONE
 - 7) WEIGHT: 2.74 lbs


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	PC	KENT, WA	
CHECKED	AS	DRAWING NO.	REV. D
MFG. APPR.	DS	D3849	SHEET 7 OF 10
APPROVED	WJ	TITLE	SCALE
DE APPR.	WJ	WEARPLATE ASSY	NTS
DATE	12.08.23	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

RELEASED
2012-09-04
WJ

8 7 6 5 4 3 2 1



D3849-5 PLATE
(MAKE FROM D3849-5F)



D3849-5F FLAT PATTERN

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET PER AMS 5513 OR 5524 OR ASTM A240 OR ASME SA240 18 GAUGE 0.050 THICK, (REF. DART SPEC. M304S18GA)
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 3.17 lbs

RELEASED
2012-09-04
WNT

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	DL	KENT, WA	
CHECKED	DL	DRAWING NO.	REV. D
MFG. APPR.	DL	D3849	SHEET 8 OF 10
APPROVED	DL	TITLE	SCALE
DE APPR.	DL	WEARPLATE ASSY	NTS
DATE	12.08.23	<small>COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	

8 7 6 5 4 3 2 1

